



Einhell

PROFESSIONAL



Cl. Telescopic Hedge Trimmer

GP-HH 18/50 Li T BL-Solo

Item No.: 3410972

Ident No.: 21014

Bar Code: 4006825681888

Features & Benefits

- Member of the Power X-Change family, 1x 18 V battery required
- Brushless motor - more power and longer running time
- Brushless - 10-year motor warranty after registration
- Infinitely and toolless adjustable telescopic handle
- 8-position tilting motor head for flexible working
- Blade made from laser-cut and diamond-ground steel
- Anti-blocking-system for optimum safety at work
- Metal gearbox for long service life
- Comfortable grip thanks to integrated soft grip surfaces
- Additional rubberised holding surface for safe working
- Steel frame to protect the battery from impacts
- Sturdy case for storage and transport
- Incl. carrying strap for ergonomic working
- Supplied without battery and charger (sold separately)

Technical Data

- | | |
|-------------------------|------------------------|
| - Blade length | 550 mm |
| - Max. cutting length | 500 mm |
| - Spacing between teeth | 25 mm |
| - Cuts per minute | 3200 min ⁻¹ |

Logistic Data

- | | |
|--------------------------------------|---------------------|
| - Product weight (kg) | 4.15 |
| - Gross weight (kg) | 5.45 |
| - Dimensions single packaging | 1120 x 193 x 105 mm |
| - Pieces per export carton | 3 Pieces |
| - Gross weight of export carton | 21 kg |
| - Dimensions export carton | 1140 x 365 x 265 mm |
| - Container quantity (20"/40"/40"HC) | 756 1536 1728 |



Available as special accessories



PXC Battery Mounting Gadget
PXC-Battery Accessory
Item No.: 4514155
Bar Code: 4006825658774
Einhell Accessory



5,2 Ah Power X-Change Plus
Battery
Item No.: 4511437
Bar Code: 4006825616606
Einhell Accessory



PXC+ 18V 5-8Ah MULTI
Battery
Item No.: 4511600
Bar Code: 4006825665055
Einhell Accessory



PXC+ 18V 4,0Ah SEALED
Battery
Item No.: 4511627
Bar Code: 4006825673227
Einhell Accessory



PXC+ 18V 4,0Ah
Battery
Item No.: 4511553
Bar Code: 4006825660869
Einhell Accessory



PXC+ 18V 3,0Ah SEALED
Battery
Item No.: 4511618
Bar Code: 4006825672794
Einhell Accessory



PXC 18V 3,0Ah
Battery
Item No.: 4511341
Bar Code: 4006825590593
Einhell Accessory



3,0 Ah Power X-Change Plus
Battery
Item No.: 4511501
Bar Code: 4006825644197
Einhell Accessory



2,0 Ah Power X-Change
Battery
Item No.: 4511395
Bar Code: 4006825610369
Einhell Accessory



4,0 Ah Power X-Change
Battery
Item No.: 4511396
Bar Code: 4006825610376
Einhell Accessory



4-6 Ah Multi-Ah Power X-Change
Plus
Battery
Item No.: 4511502
Bar Code: 4006825644210



2x 18V 5,2Ah PXC-Twinpack
Battery
Item No.: 4511526
Bar Code: 4006825656695
Einhell Accessory



18V 4Ah PXC Plus Twinpack
Battery
Item No.: 4511629
Bar Code: 4006825673685
Einhell Accessory



18V 3Ah PXC Plus Twinpack
Battery
Item No.: 4511631
Bar Code: 4006825673692
Einhell Accessory



2x18V 4,0Ah PXC-Twinpack CB
B1
Battery
Item No.: 4511489
Bar Code: 4006825638578



2x2 Power X-Quattrocharger 4A
Charger
Item No.: 4512102
Bar Code: 4006825649536
Einhell Accessory



Power X-Fastcharger 4A
Charger
Item No.: 4512103
Bar Code: 4006825650228
Einhell Accessory



Power X-Twincharger 3A
Charger
Item No.: 4512069
Bar Code: 4006825629729
Einhell Accessory



Power X-Car Charger 3A
Charger
Item No.: 4512113
Bar Code: 4006825655377
Einhell Accessory



Power X-Boostcharger 8A
Charger
Item No.: 4512155
Bar Code: 4006825670554
Einhell Accessory



18V Battery Charger 3,0A - PXC
Charger
Item No.: 4514095
Bar Code: 4006825655292
Einhell Accessory



18V 2,5Ah PXC Starter Kit
PXC-Starter-Kit
Item No.: 4512097
Bar Code: 4006825646962
Einhell Accessory



2x 4,0Ah & Twincharger Kit 1
PXC-Starter-Kit
Item No.: 4512112
Bar Code: 4006825655766
Einhell Accessory



18V 4-6Ah & 6A Boostcharger
PXC-Starter-Kit
Item No.: 4512143
Bar Code: 4006825667653
Einhell Accessory



18V 4,0Ah PXC Starter Kit B1
PXC-Starter-Kit
Item No.: 4512042
Bar Code: 4006825613704
Einhell Accessory

Battery-Running-Times



One Battery for All	running time ¹ (min.)
1.5 Ah	15
2.0 Ah	20
2.5 Ah	25
3.0 Ah	30
4.0 Ah	40
5.2 Ah	52
6.0 Ah	60
8.0 Ah	80

Test setup:

1) -