



Einhell

EXPERT

POWER X-CHANGE

Cordless Table Saw

TE-TS 36/10 T Li-Solo

Item No.: 4340460

Ident No.: 21014

Bar Code: 4006825681123

The Einhell cordless table saw TE-TS 36/10 T Li-Solo offers powerful performance and maximum flexibility. With Power X-Change and Twin-Pack technology, it runs on two 18V batteries, reaching 3,800 rpm for precise cuts. The sturdy aluminium table ensures precise material guidance with excellent sliding properties and a maximum cutting capacity of 660 mm on the right side. The supplied Ø 254 mm HW/TCT saw blade tilts up to 45°, and the cutting height is adjustable up to 89 mm. The parallel and angle guides guarantee accurate cuts. Soft start, overload protection and the push stick ensure maximum safety. Batteries and charger are sold separately.


Features & Benefits

- Member of the Power X-Change family, 2x 18 V batteries required
- Stepless height adjustment of the saw blade
- Infinitely variable saw blade tilt of 45° to the left
- Soft start and overload protection protect the motor and gearbox
- Sturdy aluminium table with perfect gliding properties
- Robust rip fence for precise cuts
- Aluminium angle guide with 15° indexing
- Table extension on the right for wider workpieces
- Integrated suction connection enables clean working
- Practical accessory holder directly on the device
- Incl. 1x HW/TCT saw blade
- Incl. push stick
- Supplied without batteries and charger (sold separately)





Technical Data

- | | |
|---------------------------------|------------------------|
| - No-load speed | 3800 min ⁻¹ |
| - Saw Blade | Ø254 x Ø30 mm |
| - Number of saw teeth | 24 Pieces |
| - Swiveling range of saw blade | 45 ° |
| - Max. cutting height at 90° | 89 mm |
| - Max. cutting height at 45° | 63 mm |
| - Size of working table | 540 x 505 mm |
| - Size of extension table right | 540 x 80 mm |
| - Extension table telescopic | 405 mm |



Logistic Data

- | | |
|----------------------------------------|--------------------|
| - Product weight (kg) | 17.5 |
| - Gross weight (kg) | 22.51 |
| - Dimensions single packaging | 725 x 665 x 340 mm |
| - Pieces per export carton | 1 Pieces |
| - Gross weight of export carton | 22.51 kg |
| - Dimensions export carton | 730 x 690 x 325 mm |
| - Container quantities (20"/40"/40"HC) | 168 357 408 |



Available as special accessories



PXC Battery Mounting Gadget
PXC-Battery Accessory
Item No.: 4514155
Bar Code: 4006825658774
Einhell Accessory



PXC Battery Protector
PXC-Battery Accessory
Item No.: 4140151
Bar Code: 4006825670844
Einhell Accessory



Power X-Charger 0,8A
Charger
Item No.: 4512165
Bar Code: 4006825685084
Einhell Accessory

PXC-Alliance Contact block
PXC-Battery Accessory
Item No.: 4512166
Bar Code: 4006825686098
Einhell Accessory



Extractor Adapter Set
Stationary Accessory
Item No.: 4310630
Bar Code: 4006825587715
Einhell Grey



E-Stand TSS
Stationary Saw Accessory
Item No.: 4310605
Bar Code: 4006825679472
Einhell Accessory



Sbl D 254x30x2,4 T24
Stationary Saw Accessory
Item No.: 4502073
Bar Code: 4006825685244
Einhell Accessory



Sbl D 254x30x2,9 Z24
Stationary Saw Accessory
Item No.: 4502069
Bar Code: 4006825685237
Einhell Accessory



5,2 Ah Power X-Change Plus
Battery
Item No.: 4511437
Bar Code: 4006825616606
Einhell Accessory



PXC+ 18V 5-8Ah MULTI
Battery
Item No.: 4511600
Bar Code: 4006825665055
Einhell Accessory



3,0 Ah Power X-Change Plus
Battery
Item No.: 4511501
Bar Code: 4006825644197
Einhell Accessory



PXC+ 18V 4,0Ah
Battery
Item No.: 4511553
Bar Code: 4006825660869
Einhell Accessory



PXC+ 18V 4,0Ah SEALED
Battery
Item No.: 4511627
Bar Code: 4006825673227
Einhell Accessory



PXC+ 18V 3,0Ah SEALED
Battery
Item No.: 4511618
Bar Code: 4006825672794
Einhell Accessory



PXC 18V 3,0Ah
Battery
Item No.: 4511341
Bar Code: 4006825590593
Einhell Accessory



4,0 Ah Power X-Change
Battery
Item No.: 4511396
Bar Code: 4006825610376
Einhell Accessory



4-6 Ah Multi-Ah Power X-Change
Plus
Battery
Item No.: 4511502
Bar Code: 4006825644210



PXC 18V 2,5Ah
Battery
Item No.: 4511516
Bar Code: 4006825650518
Einhell Accessory



2x 18V 5,2Ah PXC-Twinpack
Battery
Item No.: 4511526
Bar Code: 4006825656695
Einhell Accessory



18V 4Ah PXC Plus Twinpack
Battery
Item No.: 4511629
Bar Code: 4006825673685
Einhell Accessory



18V 3Ah PXC Plus Twinpack
Battery
Item No.: 4511631
Bar Code: 4006825673692
Einhell Accessory



2x18V 4,0Ah PXC-Twinpack CB
C1
Battery
Item No.: 4511489
Bar Code: 4006825638578



2x2 Power X-Quattrocharger 4A
Charger
Item No.: 4512102
Bar Code: 4006825649536
Einhell Accessory



Power X-Fastcharger 4A
Charger
Item No.: 4512103
Bar Code: 4006825650228
Einhell Accessory



Power X-Twincharger 3A
Charger
Item No.: 4512069
Bar Code: 4006825629729
Einhell Accessory



Power X-Car Charger 3A
Charger
Item No.: 4512113
Bar Code: 4006825655377
Einhell Accessory



Power X-Boostcharger 8A
Charger
Item No.: 4512155
Bar Code: 4006825670554
Einhell Accessory



18V Battery Charger 3,0A - PXC
Charger
Item No.: 4514095
Bar Code: 4006825655292
Einhell Accessory



Power X-Twincharger 4A
Charger
Item No.: 4512161
Bar Code: 4006825680638
Einhell Accessory



2x 5,2Ah & Twincharger Kit
PXC-Starter-Kit
Item No.: 4512108
Bar Code: 4006825652376
Einhell Accessory



18V 4-6Ah & 6A Boostcharger
PXC-Starter-Kit
Item No.: 4512143
Bar Code: 4006825667653
Einhell Accessory



18V 4,0Ah PXC Starter Kit C1
PXC-Starter-Kit
Item No.: 4512042
Bar Code: 4006825613704
Einhell Accessory



18V 2,5Ah PXC Starter Kit
PXC-Starter-Kit
Item No.: 4512170
Bar Code: 4006825686029
Einhell Accessory



18V 2,5Ah PXC Starter Kit
PXC-Starter-Kit
Item No.: 4512097
Bar Code: 4006825646962
Einhell Accessory



2x 4,0Ah & Twincharger Kit 1
PXC-Starter-Kit
Item No.: 4512112
Bar Code: 4006825655766
Einhell Accessory




5,2 Ah PXC Starter-Kit
PXC-Starter-Kit
Item No.: 4512147
Bar Code: 4006825675153
Einhell Accessory



4Ah PLUS PXC Starter Kit
PXC-Starter-Kit
Item No.: 4512159
Bar Code: 4006825680331
Einhell Accessory

Battery-Running-Times

One Battery for All	 sawing ¹ (m)
1.5 Ah	27
2.0 Ah	35
2.5 Ah	42
3.0 Ah	52
4.0 Ah	70
5.2 Ah	91
6.0 Ah	105
8.0 Ah	140

For best performance select a battery with at least 2.5 Ah

Test setup:

1) chipboard 19 mm