



# Einhell

## CLASSIC



Cordless Angle Grinder

**TC-AG 18/115 Li (1x4,0Ah)**

**Item No.: 4431133**

Ident No.: 21024

Bar Code: 4006825679526

The Einhell wireless angle grinder TC-AG 18/115 Li (1x4.0Ah) is a light and therefore handy angle grinder with a cutting depth of maximum 28 mm and a disc diameter of 115 mm. Whether powerful cutting, grinding or polishing, with an idle speed of 8,500 rpm, the angle grinder is always a useful helper. Soft start and restart protection always ensure increased application safety, while overload protection in turn ensures the durability. Equipped with an ergonomic soft grip, the additional handle is flexible and can be assembled and fixed in 3 positions. Delivery includes 1x 4.0 Ah battery and a charging device. Supplied without cutting disc

## Features & Benefits




- Part of the Power X-Change family, 1 x 18 V battery required
- Soft-start & protection against accidental restarts enhance user safety
- Overload protection protects the motor against overheating
- Additional handle can be mounted in 3 positions as required
- Support surface with elevations for secure storage
- Recommendation for optimal results: 2.5 Ah battery and above
- Supplied with 1x 4.0 Ah batteries and a charging device.
- Supplied without cutting disc

## Technical Data

- |                                     |                          |
|-------------------------------------|--------------------------|
| - Accumulator                       | 18 V   4000 mAh   Li-Ion |
| - Charging time                     | 80min                    |
| - Mains supply charger              | 200-250 V   50-60 Hz     |
| - Disc size                         | 115 mm                   |
| - No-load speed ( idle speed ) Max. | 8500 min <sup>-1</sup>   |
| - Max. cutting depth                | 28 mm                    |
| - Number of accumulators            | 1 Pieces                 |

## Logistic Data

- |                                      |                    |
|--------------------------------------|--------------------|
| - Product weight (kg)                | 2.25               |
| - Gross weight (kg)                  | 3.61               |
| - Dimensions single packaging        | 305 x 154 x 200 mm |
| - Pieces per export carton           | 4 Pieces           |
| - Gross weight of export carton      | 15 kg              |
| - Dimensions Export Carton           | 630 x 328 x 220 mm |
| - Container quantity (20"/40"/40"HC) | 2052   4200   6196 |




## Available as special accessories



PXC Battery Mounting Gadget  
PXC-Battery Accessory  
Item No.: 4514155  
Bar Code: 4006825658774  
Einhell Accessory




PXC Battery Protector  
PXC-Battery Accessory  
Item No.: 4140151  
Bar Code: 4006825670844  
Einhell Accessory



DIA-Trennschleif dünn 115x1,4  
Winkelschleifer-Zubehör  
Item No.: 49721150  
Bar Code: 4009317211501  
Einhell Accessory



10 Trennscheib dünn 115x1,0  
Winkelschleifer-Zubehör  
Item No.: 49711944  
Bar Code: 4009317119449  
Einhell Accessory



2 Schleifmop 115 K 40/80  
Winkelschleifer-Zubehör  
Item No.: 49795505  
Bar Code: 4009317955054  
Einhell Accessory



M14 Schnellspannmutter  
Winkelschleifer-Zubehör  
Item No.: 49717705  
Bar Code: 4009317177050  
Einhell Accessory



5,2 Ah Power X-Change Plus  
Battery  
Item No.: 4511437  
Bar Code: 4006825616606  
Einhell Accessory



PXC+ 18V 5-8Ah MULTI  
Battery  
Item No.: 4511600  
Bar Code: 4006825665055  
Einhell Accessory



PXC+ 18V 4,0Ah SEALED  
Battery  
Item No.: 4511627  
Bar Code: 4006825673227  
Einhell Accessory



PXC+ 18V 4,0Ah  
Battery  
Item No.: 4511553  
Bar Code: 4006825660869  
Einhell Accessory



PXC+ 18V 3,0Ah SEALED  
Battery  
Item No.: 4511618  
Bar Code: 4006825672794  
Einhell Accessory



PXC 18V 3,0Ah  
Battery  
Item No.: 4511341  
Bar Code: 4006825590593  
Einhell Accessory



3,0 Ah Power X-Change Plus  
Battery  
Item No.: 4511501  
Bar Code: 4006825644197  
Einhell Accessory



2,0 Ah Power X-Change  
Battery  
Item No.: 4511395  
Bar Code: 4006825610369  
Einhell Accessory



4,0 Ah Power X-Change  
Battery  
Item No.: 4511396  
Bar Code: 4006825610376  
Einhell Accessory



4-6 Ah Multi-Ah Power X-Change  
Plus  
Battery  
Item No.: 4511502  
Bar Code: 4006825644210



2x 18V 5,2Ah PXC-Twinpack  
Battery  
Item No.: 4511526  
Bar Code: 4006825656695  
Einhell Accessory



18V 4Ah PXC Plus Twinpack  
Battery  
Item No.: 4511629  
Bar Code: 4006825673685  
Einhell Accessory



18V 3Ah PXC Plus Twinpack  
Battery  
Item No.: 4511631  
Bar Code: 4006825673692  
Einhell Accessory



2x18V 4,0Ah PXC-Twinpack CB  
B1  
Battery  
Item No.: 4511489  
Bar Code: 4006825638578



2x2 Power X-Quattrocharger 4A  
Charger  
Item No.: 4512102  
Bar Code: 4006825649536  
Einhell Accessory



Power X-Fastcharger 4A  
Charger  
Item No.: 4512103  
Bar Code: 4006825650228  
Einhell Accessory



Power X-Twincharger 3A  
Charger  
Item No.: 4512069  
Bar Code: 4006825629729  
Einhell Accessory



Power X-Car Charger 3A  
Charger  
Item No.: 4512113  
Bar Code: 4006825655377  
Einhell Accessory



Power X-Boostcharger 8A  
Charger  
Item No.: 4512155  
Bar Code: 4006825670554  
Einhell Accessory



18V Battery Charger 3,0A - PXC  
Charger  
Item No.: 4514095  
Bar Code: 4006825655292  
Einhell Accessory



18V 2,5Ah PXC Starter Kit  
PXC-Starter-Kit  
Item No.: 4512097  
Bar Code: 4006825646962  
Einhell Accessory



2x 4,0Ah & Twincharger Kit 1  
PXC-Starter-Kit  
Item No.: 4512112  
Bar Code: 4006825655766  
Einhell Accessory



18V 4-6Ah & 6A Boostcharger  
PXC-Starter-Kit  
Item No.: 4512143  
Bar Code: 4006825667653  
Einhell Accessory



5,2 Ah PXC Starter-Kit  
PXC-Starter-Kit  
Item No.: 4512147  
Bar Code: 4006825675153  
Einhell Accessory



18V 2,0Ah PXC Starter Kit  
PXC-Starter-Kit  
Item No.: 4512040  
Bar Code: 4006825613681  
Einhell Accessory



18V 4,0Ah PXC Starter Kit B1  
PXC-Starter-Kit  
Item No.: 4512042  
Bar Code: 4006825613704  
Einhell Accessory

## Battery-Running-Times

| One Battery for All |  |
|---------------------|-----------------------------------------------------------------------------------|
|                     | cutting <sup>1</sup><br>(pieces)                                                  |
| 1.5 Ah              | 15                                                                                |
| 2.0 Ah              | 20                                                                                |
| 2.5 Ah              | 25                                                                                |
| 3.0 Ah              | 30                                                                                |
| 4.0 Ah              | 40                                                                                |
| 5.2 Ah              | 60                                                                                |
| 6.0 Ah              | 70                                                                                |
| 8.0 Ah              | 80                                                                                |

For best performance select a battery with at least 2.5 Ah

Test setup:

1) metal - round steel Ø 12 mm - Max. electronic speed