



Einhell

PROFESSIONAL



Cordless Impact Driver

IMPAXXO 18/230

Item No.: 4510080

Ident No.: 21011

Bar Code: 4006825664317

The Einhell cordless impact wrench IMPAXXO 18/230 with the brushless motor offers more power and a longer running time than a carbon brush motor. As a member of the Power X-Change family, every system battery is used on all models in the series. The screwdriver with high torque ensures sufficient power to loosen even tightly seated wheel nuts. Despite its performance, the IMPAXXO 18/230 is a lightweight in its class, which makes it comfortable to use. In addition, it has a robust 1/2" external square socket, and a bit adapter for screwing is included in delivery. The integrated LED light illuminates the work area. Delivery does not include battery or charger.

Features & Benefits

- Member of the Power X-Change family
- Brushless motor – more power and longer running time
- Impact wrench for easily screwing in large/long screws
- Special impact mechanism protects your wrist from torsional forces
- Finely adjustable speed electronics for sensitive work
- Incl. LED light to illuminate the working area
- Quick stop function for quick tool change
- Rotate clockwise & anti-clockwise to tighten and loosen screws
- Belt clip for safe intermediate storage
- Ergonomic design and softgrip surfaces for secure grip
- Incl. bit adapter for impact driving screws
- Delivery does not include a battery or charger (sold separately)



Technical Data

- | | |
|------------------------|----------------------------|
| - Idle speed | 0 - 2900 min ⁻¹ |
| - tool collet (square) | 0.5 Inch |
| - Max. torque hard | 230 Nm |

Logistic Data

- | | |
|--------------------------------------|--------------------|
| - Product weight (kg) | 1.17 |
| - Gross weight (kg) | 1.6 |
| - Pieces per export carton | 4 Pieces |
| - Gross weight export carton | 6.2 kg |
| - Dimensions Export Carton | 335 x 218 x 185 mm |
| - Container quantity (20"/40"/40"HC) | 7992 |



Available as special accessories



2x 3,0Ah & Twincharger Kit
PXC-Starter-Kit
Item No.: 4512083
Bar Code: 4006825638509
Einhell Accessory



18V 4-6Ah Multi-Ah PXC Plus
Battery
Item No.: 4511502
Bar Code: 4006825644210
Einhell Accessory



18V 2,5Ah PXC Starter Kit
PXC-Starter-Kit
Item No.: 4512097
Bar Code: 4006825646962
Einhell Accessory



18V 2,0Ah Power X-Change
Battery
Item No.: 4511395
Bar Code: 4006825610369
Einhell Accessory



18V 4,0Ah Power X-Change 1
Battery
Item No.: 4511396
Bar Code: 4006825610376
Einhell Accessory



18V 4,0Ah PXC Starter Kit 1
PXC-Starter-Kit
Item No.: 4512042
Bar Code: 4006825613704
Einhell Accessory



2x2 Power X-Quattrocharger 4A
Charger
Item No.: 4512102
Bar Code: 4006825649536
Einhell Accessory



18V 2,5Ah Power X-Change
Battery
Item No.: 4511516
Bar Code: 4006825650518
Einhell Accessory



Power X-Fastcharger 4A
Charger
Item No.: 4512103
Bar Code: 4006825650228
Einhell Accessory



18V 5,2Ah Power X-Change Plus
Battery
Item No.: 4511437
Bar Code: 4006825616606
Einhell Accessory



Power X-Twincharger 3A
Charger
Item No.: 4512069
Bar Code: 4006825629729
Einhell Accessory



Power X-Car Charger 3A
Charger
Item No.: 4512113
Bar Code: 4006825655377
Einhell Accessory



2x 18V 2,5Ah PXC-Twinpack CB
Battery
Item No.: 4511524
Bar Code: 4006825656206
Einhell Accessory



2x18V 4,0Ah PXC-Twinpack CB 1
Battery
Item No.: 4511489
Bar Code: 4006825638578
Einhell Accessory



18V 2,0Ah PXC Starter Kit
PXC-Starter-Kit
Item No.: 4512040
Bar Code: 4006825613681
Einhell Accessory



Handy Bitbox Impact 12tlg.
Akku-Bohrschrauber-Zubehör
Item No.: 49155025
Bar Code: 4009311550255
Einhell by kwb



Power X-Boostcharger 6A
Charger
Item No.: 4512064
Bar Code: 4006825629019
Einhell Accessory



18V 3,0Ah Power X-Change Plus
Battery
Item No.: 4511501
Bar Code: 4006825644197
Einhell Accessory



18V 3,0 Ah Power-X-Change 2
Battery
Item No.: 4511341
Bar Code: 4006825590593
Einhell Accessory

Battery-Running-Times

One Battery for All	fastening and releasing ¹ (pieces)
1.5 Ah	75
2.0 Ah	100
2.5 Ah	125
3.0 Ah	150
4.0 Ah	200
5.2 Ah	260
6.0 Ah	300

For best performance select a battery with at least 2.5 Ah

Test setup:

1) wheel nuts